



Schema cuentas20031201.xsd

 Estructura archivo XML - formularios 3, 4 y 10

Elements  
[informe\\_cuentas\\_compensacion](#)


element informe\_cuentas\_compensacion


diagram											
properties	content complex										
children	<a href="#">movimiento_cuenta</a>										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><a href="#">periodo</a></td> <td>xs:gYearMonth</td> <td>required</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<a href="#">periodo</a>	xs:gYearMonth	required		
Name	Type	Use	Default	Fixed							
<a href="#">periodo</a>	xs:gYearMonth	required									

attribute informe\_cuentas\_compensacion/@periodo

type	xs:gYearMonth
properties	use required

element informe\_cuentas\_compensacion/movimiento\_cuenta

diagram	
---------	--



properties	minOcc 1 maxOcc unbounded content complex			
children	<a href="#">formulario_10</a> <a href="#">formulario_3</a> <a href="#">formulario_4</a>			
attributes	Name	Type	Use	Default Fixed
	<a href="#">tipo_identificacion</a>	derived by: xs:string	required	
	<a href="#">numero_identificacion</a>	derived by: xs:string	required	
	<a href="#">codigo_asignado</a>	derived by: xs:decimal	required	

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/@tipo\_identificacion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>2</td> </tr> <tr> <td>maxLength</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minLength	2	maxLength	2
Kind	Value						
minLength	2						
maxLength	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/@numero\_identificacion


type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>10</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	10
Kind	Value						
minLength	1						
maxLength	10						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/@codigo\_asignado

type	restriction of xs:decimal
properties	use required

facets	Kind	Value
	minInclusive	1100000.001
	maxInclusive	2199999.999
	totalDigits	10
	fractionDigits	3

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10




properties	content complex										
children	tipo_operacion_f10 descripcion_f10 totales inversiones_financieras cancelacion compra_venta rep_legal_apoderado										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td>sin_movimiento</td> <td>derived by: xs:string</td> <td>optional</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	sin_movimiento	derived by: xs:string	optional		
Name	Type	Use	Default	Fixed							
sin_movimiento	derived by: xs:string	optional									

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/@sin\_movimiento

type	restriction of xs:string												
properties	use optional												
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>length</td> <td>1</td> </tr> <tr> <td>enumeration s</td> <td></td> </tr> <tr> <td>enumeration S</td> <td></td> </tr> <tr> <td>enumeration N</td> <td></td> </tr> <tr> <td>enumeration n</td> <td></td> </tr> </table>	Kind	Value	length	1	enumeration s		enumeration S		enumeration N		enumeration n	
Kind	Value												
length	1												
enumeration s													
enumeration S													
enumeration N													
enumeration n													


element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/tipo\_operacion\_f10

diagram											
properties	content complex										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><u>numero</u></td> <td>derived by: xs:decimal</td> <td>required</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<u>numero</u>	derived by: xs:decimal	required		
Name	Type	Use	Default	Fixed							
<u>numero</u>	derived by: xs:decimal	required									


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/  
tipo\_operacion\_f10/@numero

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1</td> </tr> <tr> <td>maxInclusive</td> <td>2</td> </tr> <tr> <td>totalDigits</td> <td>1</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1	maxInclusive	2	totalDigits	1	fractionDigits	0
Kind	Value										
minInclusive	1										
maxInclusive	2										
totalDigits	1										
fractionDigits	0										

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/  
descripcion\_f10

diagram							
properties	<table border="1"> <tbody> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>complex</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<u>operacion_f10</u> <u>devolucion_f10</u>						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/  
descripcion\_f10/operacion\_f10

diagram	
---------	---

properties	minOcc 0 maxOcc unbounded content complex			
attributes	Name	Type	Use	Default Fixed
	<u>operacion_de</u>	derived by: xs:string	required	
	<u>numeral</u>	derived by: xs:decimal	required	
	<u>valor</u>	derived by: xs:decimal	required	

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/descripcion\_f10/operacion\_f10/@operacion\_de

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>1</td> </tr> </table>	Kind	Value	minLength	1	maxLength	1
Kind	Value						
minLength	1						
maxLength	1						


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/descripcion\_f10/operacion\_f10/@numeral

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minInclusive</td> <td>1000</td> </tr> <tr> <td>maxInclusive</td> <td>9999</td> </tr> <tr> <td>totalDigits</td> <td>4</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </table>	Kind	Value	minInclusive	1000	maxInclusive	9999	totalDigits	4	fractionDigits	0
Kind	Value										
minInclusive	1000										
maxInclusive	9999										
totalDigits	4										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/descripcion\_f10/operacion\_f10/@valor

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </table>	Kind	Value	totalDigits	15	fractionDigits	2
Kind	Value						
totalDigits	15						
fractionDigits	2						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/descripcion\_f10/devolucion\_f10



properties	minOcc 0 maxOcc unbounded content complex			
attributes	Name	Type	Use	Default Fixed
	<u>operacion_de</u>	derived by: xs:string	required	
	<u>numeral</u>	derived by: xs:decimal	required	
	<u>valor</u>	derived by: xs:decimal	required	

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/descripcion\_f10/devolucion\_f10/@operacion\_de

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>1</td> </tr> </table>	Kind	Value	minLength	1	maxLength	1
Kind	Value						
minLength	1						
maxLength	1						


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/descripcion\_f10/devolucion\_f10/@numeral

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minInclusive</td> <td>1000</td> </tr> <tr> <td>maxInclusive</td> <td>9999</td> </tr> <tr> <td>totalDigits</td> <td>4</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </table>	Kind	Value	minInclusive	1000	maxInclusive	9999	totalDigits	4	fractionDigits	0
Kind	Value										
minInclusive	1000										
maxInclusive	9999										
totalDigits	4										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/descripcion\_f10/devolucion\_f10/@valor

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </table>	Kind	Value	totalDigits	15	fractionDigits	2
Kind	Value						
totalDigits	15						
fractionDigits	2						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/totales



properties	content complex			
attributes	Name	Type	Use	Default Fixed
	<u>saldo_anterior</u>	derived by: xs:decimal	required	
	<u>ingresos_periodo</u>	derived by: xs:decimal	required	
	<u>egresos_periodo</u>	derived by: xs:decimal	required	
	<u>nuevo_saldo</u>	derived by: xs:decimal	required	

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/totales/@saldo\_anterior

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>totalDigits</td> <td>25</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </table>	Kind	Value	totalDigits	25	fractionDigits	2
Kind	Value						
totalDigits	25						
fractionDigits	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/totales/@ingresos\_periodo

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </table>	Kind	Value	totalDigits	15	fractionDigits	2
Kind	Value						
totalDigits	15						
fractionDigits	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/totales/@egresos\_periodo

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </table>	Kind	Value	totalDigits	15	fractionDigits	2
Kind	Value						
totalDigits	15						
fractionDigits	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/totales/@nuevo\_saldo

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>totalDigits</td> <td>25</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </table>	Kind	Value	totalDigits	25	fractionDigits	2
Kind	Value						
totalDigits	25						
fractionDigits	2						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/inversiones\_financieras

diagram																								
properties	minOcc 0 maxOcc 1 content complex																							
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><u>ajustes</u></td> <td>derived by: xs:decimal</td> <td>optional</td> <td>0</td> <td></td> </tr> <tr> <td><u>nuevo_saldo</u></td> <td>derived by: xs:decimal</td> <td>optional</td> <td></td> <td></td> </tr> <tr> <td><u>overnight</u></td> <td>derived by: xs:decimal</td> <td>optional</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<u>ajustes</u>	derived by: xs:decimal	optional	0		<u>nuevo_saldo</u>	derived by: xs:decimal	optional			<u>overnight</u>	derived by: xs:decimal	optional					
Name	Type	Use	Default	Fixed																				
<u>ajustes</u>	derived by: xs:decimal	optional	0																					
<u>nuevo_saldo</u>	derived by: xs:decimal	optional																						
<u>overnight</u>	derived by: xs:decimal	optional																						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/  
inversiones\_financieras/@ajustes

type	restriction of xs:decimal						
properties	use optional default 0						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>19</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	totalDigits	19	fractionDigits	2
Kind	Value						
totalDigits	19						
fractionDigits	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/  
inversiones\_financieras/@nuevo\_saldo


type	restriction of xs:decimal								
properties	use optional								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0</td> </tr> <tr> <td>totalDigits</td> <td>19</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0	totalDigits	19	fractionDigits	2
Kind	Value								
minInclusive	0								
totalDigits	19								
fractionDigits	2								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/  
inversiones\_financieras/@overnight

type	restriction of xs:decimal								
properties	use optional								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0</td> </tr> <tr> <td>totalDigits</td> <td>19</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0	totalDigits	19	fractionDigits	2
Kind	Value								
minInclusive	0								
totalDigits	19								
fractionDigits	2								

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/cancelacion




diagram											
properties	minOcc 0 maxOcc 1 content complex										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><u>fecha</u></td> <td>xs:date</td> <td>required</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<u>fecha</u>	xs:date	required		
Name	Type	Use	Default	Fixed							
<u>fecha</u>	xs:date	required									


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/cancelacion/@fecha

type	xs:date
properties	use required

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta

diagram	
properties	minOcc 0 maxOcc 1 content complex
children	<u>compra</u> <u>venta</u>

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/compra

diagram	
---------	---

properties	minOcc 0 maxOcc unbounded content complex			
attributes	Name	Type	Use	Default Fixed
	<u>tipo_identificacion</u>	derived by: xs:string	required	
	<u>numero_identificacion</u>	derived by: xs:string	required	
	<u>codigo_asignado</u>	derived by: xs:decimal	optional	
	<u>numeral</u>	derived by: xs:decimal	required	
	<u>valor</u>	derived by: xs:decimal	required	

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/compra/@tipo\_identificacion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>2</td> </tr> <tr> <td>maxLength</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minLength	2	maxLength	2
Kind	Value						
minLength	2						
maxLength	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/compra/@numero\_identificacion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>10</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	10
Kind	Value						
minLength	1						
maxLength	10						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/compra/@codigo\_asignado

type	restriction of xs:decimal										
properties	use optional										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1100000.001</td> </tr> <tr> <td>maxInclusive</td> <td>2199999.999</td> </tr> <tr> <td>totalDigits</td> <td>10</td> </tr> <tr> <td>fractionDigits</td> <td>3</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1100000.001	maxInclusive	2199999.999	totalDigits	10	fractionDigits	3
Kind	Value										
minInclusive	1100000.001										
maxInclusive	2199999.999										
totalDigits	10										
fractionDigits	3										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/compra/@numeral

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1000</td> </tr> <tr> <td>maxInclusive</td> <td>9999</td> </tr> <tr> <td>totalDigits</td> <td>4</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1000	maxInclusive	9999	totalDigits	4	fractionDigits	0
Kind	Value										
minInclusive	1000										
maxInclusive	9999										
totalDigits	4										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/

compra\_venta/compra/@valor

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	totalDigits	15	fractionDigits	2
Kind	Value						
totalDigits	15						
fractionDigits	2						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/venta

diagram				
properties	minOcc 0 maxOcc unbounded content complex			
attributes	Name	Type	Use	Default Fixed
	<u>tipo_identificacion</u>	derived by: xs:string	required	
	<u>numero_identificacion</u>	derived by: xs:string	required	
	<u>codigo_asignado</u>	derived by: xs:decimal	optional	
	<u>numeral</u>	derived by: xs:decimal	required	
	<u>valor</u>	derived by: xs:decimal	required	

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/venta/@tipo\_identificacion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>2</td> </tr> <tr> <td>maxLength</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minLength	2	maxLength	2
Kind	Value						
minLength	2						
maxLength	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/venta/@numero\_identificacion

type	restriction of xs:string
properties	use required

facets	Kind minLength 1 maxLength 10
--------	-------------------------------------

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/venta/@codigo\_asignado

type	restriction of xs:decimal
properties	use optional
facets	Kind minInclusive 1100000.001 maxInclusive 2199999.999 totalDigits 10 fractionDigits 3


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/venta/@numeral

type	restriction of xs:decimal
properties	use required
facets	Kind minInclusive 1000 maxInclusive 9999 totalDigits 4 fractionDigits 0

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/compra\_venta/venta/@valor

type	restriction of xs:decimal
properties	use required
facets	Kind totalDigits 15 fractionDigits 2

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado



attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado/@tipo\_identificacion

type	restriction of xs:string								
properties	use required								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>2</td> </tr> <tr> <td>maxLength</td> <td>2</td> </tr> <tr> <td>pattern</td> <td>[A-Za-z]+[A-Za-z]</td> </tr> </tbody> </table>	Kind	Value	minLength	2	maxLength	2	pattern	[A-Za-z]+[A-Za-z]
Kind	Value								
minLength	2								
maxLength	2								
pattern	[A-Za-z]+[A-Za-z]								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado/@numero\_identificacion

type	restriction of xs:string								
properties	use required								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>16</td> </tr> <tr> <td>pattern</td> <td>[A-Za-z0-9]+</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	16	pattern	[A-Za-z0-9]+
Kind	Value								
minLength	1								
maxLength	16								
pattern	[A-Za-z0-9]+								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado/@nombre

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>3</td> </tr> <tr> <td>maxLength</td> <td>100</td> </tr> </tbody> </table>	Kind	Value	minLength	3	maxLength	100
Kind	Value						
minLength	3						
maxLength	100						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado/@direccion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>100</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	100
Kind	Value						
minLength	1						
maxLength	100						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado/@codigo\_ciudad

type	restriction of xs:string								
properties	use required								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>5</td> </tr> <tr> <td>pattern</td> <td>[0-9]+</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	5	pattern	[0-9]+
Kind	Value								
minLength	1								
maxLength	5								
pattern	[0-9]+								


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado/@telefono

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>50</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	50
Kind	Value						
minLength	1						
maxLength	50						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_10/rep\_legal\_apoderado/@correo\_electronico

type	restriction of xs:string										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>5</td> </tr> <tr> <td>maxLength</td> <td>100</td> </tr> <tr> <td>whiteSpace</td> <td>collapse</td> </tr> <tr> <td>pattern</td> <td>[A-Za-z0-9_]+([-+.'][A-Za-z0-9_]*)@[A-Za-z0-9_]+([-.'][A-Za-z0-9_]*)\.[A-Za-z0-9_]+([-.'][A-Za-z0-9_]*)*</td> </tr> </tbody> </table>	Kind	Value	minLength	5	maxLength	100	whiteSpace	collapse	pattern	[A-Za-z0-9_]+([-+.'][A-Za-z0-9_]*)@[A-Za-z0-9_]+([-.'][A-Za-z0-9_]*)\.[A-Za-z0-9_]+([-.'][A-Za-z0-9_]*)*
Kind	Value										
minLength	5										
maxLength	100										
whiteSpace	collapse										
pattern	[A-Za-z0-9_]+([-+.'][A-Za-z0-9_]*)@[A-Za-z0-9_]+([-.'][A-Za-z0-9_]*)\.[A-Za-z0-9_]+([-.'][A-Za-z0-9_]*)*										

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3



attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/@fecha

type	xs:date
properties	use required

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/@numero

type	restriction of xs:decimal				
properties	use required				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>5</td> </tr> </tbody> </table>	Kind	Value	totalDigits	5
Kind	Value				
totalDigits	5				

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/  
tipo\_operacion\_f3

diagram					
properties	content complex				
attributes	Name	Type	Use	Default	Fixed
	<u>numero</u>	derived by: xs:decimal	required		
	<u>operacion_de</u>	derived by: xs:string	required		

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/  
tipo\_operacion\_f3/@numero

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1</td> </tr> <tr> <td>maxInclusive</td> <td>4</td> </tr> <tr> <td>totalDigits</td> <td>1</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1	maxInclusive	4	totalDigits	1	fractionDigits	0
Kind	Value										
minInclusive	1										
maxInclusive	4										
totalDigits	1										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/  
tipo\_operacion\_f3/@operacion\_de

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>1</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	1
Kind	Value						
minLength	1						
maxLength	1						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/  
declaracion\_anterior

diagram					
properties	minOcc 0	maxOcc 1	content complex		



attributes	Name	Type	Use	Default	Fixed
	<u>fecha</u>	xs:date	required		
	<u>numero</u>	derived by: xs:decimal	required		
	<u>codigo_asignado</u>	derived by: xs:decimal	required		

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/declaracion\_anterior/@fecha

type	xs:date
properties	use required


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/declaracion\_anterior/@numero

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1</td> </tr> <tr> <td>maxInclusive</td> <td>99999</td> </tr> <tr> <td>totalDigits</td> <td>5</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1	maxInclusive	99999	totalDigits	5	fractionDigits	0
Kind	Value										
minInclusive	1										
maxInclusive	99999										
totalDigits	5										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/declaracion\_anterior/@codigo\_asignado

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1100000.001</td> </tr> <tr> <td>maxInclusive</td> <td>2199999.999</td> </tr> <tr> <td>totalDigits</td> <td>10</td> </tr> <tr> <td>fractionDigits</td> <td>3</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1100000.001	maxInclusive	2199999.999	totalDigits	10	fractionDigits	3
Kind	Value										
minInclusive	1100000.001										
maxInclusive	2199999.999										
totalDigits	10										
fractionDigits	3										

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion



properties	content complex				
children	<u>moneda_contratada</u> <u>moneda_negociacion</u> <u>avalista</u>				
attributes	Name	Type	Use	Default	Fixed
	<u>numero_prestamo</u>	derived by: xs:string	required		
	<u>base_interes</u>	derived by: xs:decimal	optional		


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/@numero\_prestamo

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>11</td> </tr> <tr> <td>maxLength</td> <td>11</td> </tr> </table>	Kind	Value	minLength	11	maxLength	11
Kind	Value						
minLength	11						
maxLength	11						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/@base\_interes

type	restriction of xs:decimal										
properties	use optional										
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minInclusive</td> <td>360</td> </tr> <tr> <td>maxInclusive</td> <td>365</td> </tr> <tr> <td>totalDigits</td> <td>3</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </table>	Kind	Value	minInclusive	360	maxInclusive	365	totalDigits	3	fractionDigits	0
Kind	Value										
minInclusive	360										
maxInclusive	365										
totalDigits	3										
fractionDigits	0										

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_contratada



properties	content complex				
attributes	Name	Type	Use	Default	Fixed
	<u>codigo</u>	derived by: xs:string	required		
	<u>valor</u>	derived by: xs:decimal	required		

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_contratada/@codigo

type	restriction of xs:string
properties	use required

facets	Kind	Value
	minLength	3
	maxLength	3

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_contratada/@valor

type	restriction of xs:decimal
properties	use required
facets	Kind Value
	minInclusive 0.01
	totalDigits 15
	fractionDigits 2

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_negociacion

diagram																										
properties	content complex																									
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><u>codigo</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>valor</u></td> <td>derived by: xs:decimal</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>tipo_cambio_usd</u></td> <td>derived by: xs:decimal</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>valor_usd</u></td> <td>derived by: xs:decimal</td> <td>required</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<u>codigo</u>	derived by: xs:string	required			<u>valor</u>	derived by: xs:decimal	required			<u>tipo_cambio_usd</u>	derived by: xs:decimal	required			<u>valor_usd</u>	derived by: xs:decimal	required		
Name	Type	Use	Default	Fixed																						
<u>codigo</u>	derived by: xs:string	required																								
<u>valor</u>	derived by: xs:decimal	required																								
<u>tipo_cambio_usd</u>	derived by: xs:decimal	required																								
<u>valor_usd</u>	derived by: xs:decimal	required																								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_negociacion/@codigo

type	restriction of xs:string
properties	use required
facets	Kind Value
	minLength 3
	maxLength 3

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_negociacion/@valor

type	restriction of xs:decimal
properties	use required

facets	Kind	Value
	minInclusive	0.01
	totalDigits	15
	fractionDigits	2

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_negociacion/@tipo\_cambio\_usd

type	restriction of xs:decimal	
properties	use required	
facets	Kind	Value
	totalDigits	11
	fractionDigits	6

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/moneda\_negociacion/@valor\_usd

type	restriction of xs:decimal	
properties	use required	
facets	Kind	Value
	minInclusive	0.01
	totalDigits	15
	fractionDigits	2

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/avalista

diagram											
properties	content complex										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><u>codigo</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<u>codigo</u>	derived by: xs:string	required		
Name	Type	Use	Default	Fixed							
<u>codigo</u>	derived by: xs:string	required									

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/identificacion\_operacion/avalista/@codigo

type	restriction of xs:string	
properties	use required	
facets	Kind	Value
	minLength	0
	maxLength	12

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3

diagram	
properties	content complex
children	<u>operacion_f3</u>

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3

diagram				
properties	minOcc 1 maxOcc unbounded content complex			
attributes	Name	Type	Use	Default Fixed
	<u>numeral</u>	derived by: xs:integer	required	
	<u>valor_moneda_negociacion</u>	derived by: xs:decimal	required	
	<u>valor_moneda_contratada</u>	derived by: xs:decimal	required	
	<u>valor_usd</u>	derived by: xs:decimal	required	
	<u>valor_base_moneda_contratada</u>	derived by: xs:decimal	optional	
	<u>fecha_inicio</u>	xs:date	optional	
	<u>fecha_final</u>	xs:date	optional	
	<u>dias</u>	derived by: xs:integer	optional	
	<u>tasa</u>	derived by: xs:decimal	optional	

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@numeral

type	restriction of xs:integer
properties	use required

facets	Kind	Value
	minInclusive	1000
	maxInclusive	9999
	totalDigits	4
	fractionDigits	0

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@valor\_moneda\_negociacion

type	restriction of xs:decimal	
properties	use required	
facets	Kind	Value
	minInclusive	0.01
	totalDigits	15
	fractionDigits	2

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@valor\_moneda\_contratada

type	restriction of xs:decimal	
properties	use required	
facets	Kind	Value
	minInclusive	0.01
	totalDigits	15
	fractionDigits	2

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@valor\_usd

type	restriction of xs:decimal	
properties	use required	
facets	Kind	Value
	minInclusive	0.01
	totalDigits	15
	fractionDigits	2

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@valor\_base\_moneda\_contratada

type	restriction of xs:decimal	
properties	use optional	
facets	Kind	Value
	minInclusive	0.01
	totalDigits	15
	fractionDigits	2

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@fecha\_inicio

type	xs:date
properties	use optional

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@fecha\_final

type	xs:date
properties	use optional


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@dias

type	restriction of xs:integer				
properties	use optional				
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minInclusive</td> <td>1</td> </tr> </table>	Kind	Value	minInclusive	1
Kind	Value				
minInclusive	1				

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/operaciones\_f3/operacion\_f3/@tasa

type	restriction of xs:decimal								
properties	use optional								
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minInclusive</td> <td>0.01</td> </tr> <tr> <td>totalDigits</td> <td>11</td> </tr> <tr> <td>fractionDigits</td> <td>6</td> </tr> </table>	Kind	Value	minInclusive	0.01	totalDigits	11	fractionDigits	6
Kind	Value								
minInclusive	0.01								
totalDigits	11								
fractionDigits	6								

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/declarante



properties	content complex															
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><u>numero_identificacion</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>nombre</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<u>numero_identificacion</u>	derived by: xs:string	required			<u>nombre</u>	derived by: xs:string	required		
Name	Type	Use	Default	Fixed												
<u>numero_identificacion</u>	derived by: xs:string	required														
<u>nombre</u>	derived by: xs:string	required														

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/declarante/@numero\_identificacion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>10</td> </tr> </table>	Kind	Value	minLength	1	maxLength	10
Kind	Value						
minLength	1						
maxLength	10						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_3/declarante/@nombre

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minLength</td> <td>3</td> </tr> <tr> <td>maxLength</td> <td>50</td> </tr> </table>	Kind	Value	minLength	3	maxLength	50
Kind	Value						
minLength	3						
maxLength	50						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4

diagram					
properties	minOcc 0 maxOcc unbounded content complex				
children	tipo_operacion_f4 declaracion_anterior empresa_receptora inversionista operacion_f4 declarante				
attributes	Name	Type	Use	Default	Fixed
	fecha	xs:date	required		
	numero	derived by: xs:decimal	required		

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/@fecha

type	xs:date
properties	use required


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/@numero

type	restriction of xs:decimal
------	---------------------------



properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>5</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	totalDigits	5	fractionDigits	0
Kind	Value						
totalDigits	5						
fractionDigits	0						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
tipo\_operacion\_f4



properties	content complex
------------	-----------------

attributes	Name	Type	Use	Default	Fixed
	<u>numero</u>	derived by: xs:decimal	required		
	<u>operacion_de</u>	derived by: xs:string	required		


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
tipo\_operacion\_f4/@numero

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1</td> </tr> <tr> <td>maxInclusive</td> <td>4</td> </tr> <tr> <td>totalDigits</td> <td>1</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1	maxInclusive	4	totalDigits	1	fractionDigits	0
Kind	Value										
minInclusive	1										
maxInclusive	4										
totalDigits	1										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
tipo\_operacion\_f4/@operacion\_de

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>1</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	1
Kind	Value						
minLength	1						
maxLength	1						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
declaracion\_anterior



attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 declaracion\_anterior/@fecha

type	xs:date
properties	use required


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 declaracion\_anterior/@numero

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1</td> </tr> <tr> <td>maxInclusive</td> <td>99999</td> </tr> <tr> <td>totalDigits</td> <td>5</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1	maxInclusive	99999	totalDigits	5	fractionDigits	0
Kind	Value										
minInclusive	1										
maxInclusive	99999										
totalDigits	5										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 declaracion\_anterior/@codigo\_asignado

type	restriction of xs:decimal										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1100000.001</td> </tr> <tr> <td>maxInclusive</td> <td>2199999.999</td> </tr> <tr> <td>totalDigits</td> <td>10</td> </tr> <tr> <td>fractionDigits</td> <td>3</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1100000.001	maxInclusive	2199999.999	totalDigits	10	fractionDigits	3
Kind	Value										
minInclusive	1100000.001										
maxInclusive	2199999.999										
totalDigits	10										
fractionDigits	3										

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 empresa\_receptora



attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/empresa\_receptora/@tipo\_identificacion

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>2</td> </tr> <tr> <td>maxLength</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minLength	2	maxLength	2
Kind	Value						
minLength	2						
maxLength	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/empresa\_receptora/@numero\_identificacion

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>10</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	10
Kind	Value						
minLength	1						
maxLength	10						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/empresa\_receptora/@nombre

type	restriction of xs:string
------	--------------------------

properties	use optional						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>50</td> </tr> </table>	Kind	Value	minLength	1	maxLength	50
Kind	Value						
minLength	1						
maxLength	50						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 empresa\_receptora/@codigo\_pais

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>3</td> </tr> </table>	Kind	Value	minLength	1	maxLength	3
Kind	Value						
minLength	1						
maxLength	3						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 empresa\_receptora/@codigo\_ciudad

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>5</td> </tr> </table>	Kind	Value	minLength	1	maxLength	5
Kind	Value						
minLength	1						
maxLength	5						


attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 empresa\_receptora/@telefono

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>20</td> </tr> </table>	Kind	Value	minLength	1	maxLength	20
Kind	Value						
minLength	1						
maxLength	20						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/  
 empresa\_receptora/@codigo\_ciiu

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> </table>	Kind	Value	minLength	1	maxLength	4
Kind	Value						
minLength	1						
maxLength	4						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/inversionista



attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/inversionista/@tipo\_identificacion

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minLength</td> <td>2</td> </tr> <tr> <td>maxLength</td> <td>2</td> </tr> </table>	Kind	Value	minLength	2	maxLength	2
Kind	Value						
minLength	2						
maxLength	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/inversionista/@numero\_identificacion

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>10</td> </tr> </table>	Kind	Value	minLength	1	maxLength	10
Kind	Value						
minLength	1						
maxLength	10						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/inversionista/@nombre

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <th>Kind</th> <th>Value</th> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>50</td> </tr> </table>	Kind	Value	minLength	1	maxLength	50
Kind	Value						
minLength	1						
maxLength	50						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/inversionista/


@codigo\_pais

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>50</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	50
Kind	Value						
minLength	1						
maxLength	50						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/inversionista/@codigo\_ciiu

type	restriction of xs:string						
properties	use optional						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4
Kind	Value						
minLength	1						
maxLength	4						

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4



attributes	Name	Type	Use	Default	Fixed
	<u>numeral</u>	derived by: xs:integer	required		
	<u>codigo_moneda</u>	derived by: xs:string	required		
	<u>valor_moneda</u>	derived by: xs:decimal	required		
	<u>tipo_cambio_usd</u>	derived by: xs:decimal	required		
	<u>valor_usd</u>	derived by: xs:decimal	required		
	<u>tipo_cambio_pesos</u>	derived by: xs:decimal	required		
	<u>valor_pesos</u>	derived by: xs:decimal	required		
	<u>destino_inversion</u>	derived by: xs:integer	required		
	<u>acciones_cuotas</u>	derived by: xs:decimal	optional		
	<u>inversiones_plazos</u>	derived by: xs:string	optional		

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@numeral

type	restriction of xs:integer										
properties	use required										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1000</td> </tr> <tr> <td>maxInclusive</td> <td>9999</td> </tr> <tr> <td>totalDigits</td> <td>4</td> </tr> <tr> <td>fractionDigits</td> <td>0</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1000	maxInclusive	9999	totalDigits	4	fractionDigits	0
Kind	Value										
minInclusive	1000										
maxInclusive	9999										
totalDigits	4										
fractionDigits	0										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@codigo\_moneda

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>3</td> </tr> <tr> <td>maxLength</td> <td>3</td> </tr> </tbody> </table>	Kind	Value	minLength	3	maxLength	3
Kind	Value						
minLength	3						
maxLength	3						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@valor\_moneda

type	restriction of xs:decimal								
properties	use required								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.01</td> </tr> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0.01	totalDigits	15	fractionDigits	2
Kind	Value								
minInclusive	0.01								
totalDigits	15								
fractionDigits	2								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@tipo\_cambio\_usd

type	restriction of xs:decimal						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>11</td> </tr> <tr> <td>fractionDigits</td> <td>6</td> </tr> </tbody> </table>	Kind	Value	totalDigits	11	fractionDigits	6
Kind	Value						
totalDigits	11						
fractionDigits	6						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@valor\_usd

type	restriction of xs:decimal								
properties	use required								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.01</td> </tr> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0.01	totalDigits	15	fractionDigits	2
Kind	Value								
minInclusive	0.01								
totalDigits	15								
fractionDigits	2								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@tipo\_cambio\_pesos

type	restriction of xs:decimal						
properties	use required						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>11</td> </tr> <tr> <td>fractionDigits</td> <td>6</td> </tr> </tbody> </table>	Kind	Value	totalDigits	11	fractionDigits	6
Kind	Value						
totalDigits	11						
fractionDigits	6						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@valor\_pesos

type	restriction of xs:decimal								
properties	use required								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.01</td> </tr> <tr> <td>totalDigits</td> <td>15</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0.01	totalDigits	15	fractionDigits	2
Kind	Value								
minInclusive	0.01								
totalDigits	15								
fractionDigits	2								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@destino\_inversion

type	restriction of xs:integer								
properties	use required								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1</td> </tr> <tr> <td>maxInclusive</td> <td>99</td> </tr> <tr> <td>totalDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	1	maxInclusive	99	totalDigits	2
Kind	Value								
minInclusive	1								
maxInclusive	99								
totalDigits	2								

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@acciones\_cuotas

type	restriction of xs:decimal				
properties	use optional				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>15</td> </tr> </tbody> </table>	Kind	Value	totalDigits	15
Kind	Value				
totalDigits	15				

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/operacion\_f4/  
@inversiones\_plazos



type	restriction of xs:string								
properties	use optional								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>1</td> </tr> <tr> <td>enumeration</td> <td>S</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	1	enumeration	S
Kind	Value								
minLength	1								
maxLength	1								
enumeration	S								

element informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante

diagram																																												
properties	content complex																																											
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td><u>tipo_identificacion</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>numero_identificacion</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>nombre</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>telefono</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>direccion</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>codigo_ciudad</u></td> <td>derived by: xs:string</td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><u>email</u></td> <td>derived by: xs:string</td> <td>optional</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	<u>tipo_identificacion</u>	derived by: xs:string	required			<u>numero_identificacion</u>	derived by: xs:string	required			<u>nombre</u>	derived by: xs:string	required			<u>telefono</u>	derived by: xs:string	required			<u>direccion</u>	derived by: xs:string	required			<u>codigo_ciudad</u>	derived by: xs:string	required			<u>email</u>	derived by: xs:string	optional					
Name	Type	Use	Default	Fixed																																								
<u>tipo_identificacion</u>	derived by: xs:string	required																																										
<u>numero_identificacion</u>	derived by: xs:string	required																																										
<u>nombre</u>	derived by: xs:string	required																																										
<u>telefono</u>	derived by: xs:string	required																																										
<u>direccion</u>	derived by: xs:string	required																																										
<u>codigo_ciudad</u>	derived by: xs:string	required																																										
<u>email</u>	derived by: xs:string	optional																																										

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante/@tipo\_identificacion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>2</td> </tr> <tr> <td>maxLength</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minLength	2	maxLength	2
Kind	Value						
minLength	2						
maxLength	2						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante/@numero\_identificacion

type	restriction of xs:string
------	--------------------------

properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>10</td> </tr> </table>	Kind	Value	minLength	1	maxLength	10
Kind	Value						
minLength	1						
maxLength	10						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante/@nombre

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>3</td> </tr> <tr> <td>maxLength</td> <td>50</td> </tr> </table>	Kind	Value	minLength	3	maxLength	50
Kind	Value						
minLength	3						
maxLength	50						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante/@telefono

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>20</td> </tr> </table>	Kind	Value	minLength	1	maxLength	20
Kind	Value						
minLength	1						
maxLength	20						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante/@direccion

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>20</td> </tr> </table>	Kind	Value	minLength	1	maxLength	20
Kind	Value						
minLength	1						
maxLength	20						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante/@codigo\_ciudad

type	restriction of xs:string						
properties	use required						
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>30</td> </tr> </table>	Kind	Value	minLength	1	maxLength	30
Kind	Value						
minLength	1						
maxLength	30						

attribute informe\_cuentas\_compensacion/movimiento\_cuenta/formulario\_4/declarante/@email

type	restriction of xs:string
properties	use optional

facets

Kind	Value
minLength	5
maxLength	50

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy_) Schema Editor [http://www.altova.com/xmlspy\\_](http://www.altova.com/xmlspy_)